



Upstream Water Containment



Relocatable Above Ground Water Storage
& Factory Fabricated Geomembrane Liners

Manufacture | Fabricate | Install

aquamate.com.au | info@aquamate.com.au

Enviro LINER®

Factory Fabricated Geomembrane Liners

Individual panels up to
4,000m² / 2,000kg

Maximum quality using
minimal field seams

Safe, rapid and reliable
on-site installation

Reduced dependency on
low wind conditions



Aquamate prefer to use Layfield's Enviro Liner® material in most fabricated panel applications, as it offers unmatched value with respect to performance both on-site and in the factory.

Enviro Liner® is a high performance geomembrane designed for outstanding durability, chemical resistance and flexibility. Enviro Liner® is heavily fortified with a proprietary UV package that makes it the most durable thin gauge geomembrane available for exposed service applications.

Enviro Liner® is flexible enough to be prefabricated in our factory into large panels, accordion folded, rolled onto a core and delivered to site for a rapid, reliable and safe installation.





Relocatable Above Ground Water Storage

Aquamate design, manufacture and install turnkey above ground water storage solutions specifically tailored for hydraulic fracturing operations.

Multi volume systems can be specified for the simultaneous storage of stimulation and flowback fluid, as well as for utilisation during drilling, if required.


All Aquamate above ground water storage systems are supplied with geomembrane liners that have chemical resistance properties that provide reliable storage of a wide range of contaminated liquids to varying concentrations.

Individual units up to
10.0ML / 63,000bbl

No Footings Required

Factory fabricated liner systems for rapid and reliable onsite installation

Bolt together design allows conventional transport to remote sites



Model	Diameter	Height	Capacity	Application Specific Options Available
	m	m	ML (bbl)	Level Monitoring
AFT063	23.6	2.3	1.0 (6,300)	Single units up to 75m diameter / 10.0ML
AFT134	34.6	2.3	2.0 (13,400)	Secondary Containment / Double Lined Systems
AFT261	48.2	2.3	4.0 (26,100)	Leak detection and Monitoring

Drury Terrace, Clovelly Park, South Australia 5042 | +61 (0)8 8277 5777



A Zero Leak Culture

Aquamate was established during the 1980's to repair leaking concrete tanks. To overcome failures through natural ground movement, poor workmanship or lack of correct materials, Aquamate installed its first kit form polymer lined steel tank in 1986. The tank was easily transported to site, constructed in a day in most cases and remained impervious to any ground movement. Today, with over 25 years experience, Aquamate supply and install polymer lined steel tanks across Australia and around the world through an accredited dealer network and has established itself as a leader providing innovative large volume water storage solutions.

Head Office

Drury Terrace,

Clovelly Park, South Australia 5042

Telephone +61 (0)8 8277 5777

Facsimile +61 (0)8 8277 5111

Email info@aquamate.com.au

Website aquamate.com.au



Manufacture



Fabricate



Install

